




Recovery effort status of black abalone at Mud Creek

Steve I. Lonhart, Ph.D. Monterey Bay National Marine Sanctuary December 14, 2018

AMERICA'S UNDERWATER TREASURES

Location of Mud Cr slide








Mud Creek: before







Mud Creek: after



May 27, 2017

15 acres of new land
5 million yards³
"9 ft of dirt"







Sanctuary coastline increases

DOAF



Former intertidal = 516 m

1

New intertidal = 630 m



Intertidal: before slide





Boulder fields, small pockets of cobble beach



Intertidal: 1 week after





May 27, 2017







Intertidal: 1 month after





Boulder field habitat replaced with sandy beach



North revetment & beach







272 m of new beach








Black abalone








July 24, 2017 survey









Data: UC Santa Cruz





- Black abalone buried and killed
- Critical habitat was lost
 - >500 m by initial burial
 - ~270 m by beach formation (upcoast)
- Beach formation is on-going
- Unclear when system may equilibrate





Rescue effort: collection







Tag and sample all BA







Translocate BA to PBLS







BA in new location









- 45 black abalone collected Nov 2, 2017
- 5 sacrificed (3 withered, 2 injured)
- 9 kept at La Jolla due to injuries, 6 still alive
- 31 translocated to PBLS




31 BA at PBLS













N-17 N-17 N-17 N-17 D-17 D-17 D-17 J-18 F-18 M-18 M-18 A-18 M-18 J-18 J-18 A-18



937









- On-going monitoring of Mud Creek intertidal
- On-going monitoring of translocated abalone
- Conduct future rescues as necessary





Acknowledgments



